


Pre-wall/Flushing technology

T4 Viega Mono

T4



viega



Pre-wall blocks for walling in and around for single and line mounting.

Individual pre-wall solutions for wet construction with high mounting comfort.

The closed, robust box made of EPS saves you walling the interior area. This factory-installed sound insulation also protects the modules from getting damaged and serves an ideal base for plastering.

Good adhesion with the brickwork due to integrated wall pockets.

Adjustable depth.

Line installation is possible using long mounting profile.

Pre-mounted ready for connection.

Sound decoupling devices with place for all Viega system wall plates.

Tested sound protection in accordance with DN 4109 by the Fraunhofer Institute for Building Physics, Stuttgart. Sound protection certificates are existing.

All sizes are indicated in millimetre.

Long-term availability guarantee.

Index

Viega Mono Slim	458
Viega Mono Tec	458
WC pre-wall blocks	460
Bidet pre-wall blocks	463
Accessories for WC and bidet pre-wall blocks	463
Urinal shell construction set	465
Washbasin pre-wall blocks	465
Pre-wall fittings for pre-wall blocks	465



4 015211 305611

EAN-Code

The EAN-Code composed out of the constant manufacturer number 4015211 and a six-digit article code - in this example 305 611. The exchange of the last six digits against the article code shows the EAN-Code.

Viega Mono Slim

Viega Mono Slim Concealed cistern

1F

- for floor-standing WC, wall-hung WC, flush plate Visign, walling in and around
- actuation from front, dual flush technology

Components

corner valve with pre-mounted water connection Rp½, filling valve set, drain valve set, concealed cistern (8 cm), insulated flushing pipe, condensation water protection, reinforcement fabric, fixing material



Technical data

Small flush volume setting range approx. 3–4 l
 Full flush volume setting range approx. 6–9 l
 Flush volume factory setting approx. 6 and 3 l

Note

Immediate reflushing is possible at the factory settings! Flush plates and accessories, see group T5!

Model 8308.1



	PU	Article		
	1	648 787		

Viega Mono Tec

Viega Mono Tec WC block

- for wall-hung WC, flush plate Visign, walling in and around
- actuation from front, dual flush technology

Components

galvanised steel frame, 1F concealed cistern, WC connection elbow DN90 made of PE, WC connection fitting, condensation water protection, reinforcement fabric, fixing material for frames

cistern configuration

corner valve with pre-mounted water connection Rp½, filling valve set, drain valve set



Technical data

Small flush volume setting range approx. 3–4 l
 Full flush volume setting range approx. 6–9 l
 Flush volume factory setting approx. 6 and 3 l


Note

Immediate reflushing is possible at the factory settings! Flush plates and accessories, see group T5!

Model 8308



	PU	Article		
	12	648 794		



Viega Mono Tec WC block

- for wall-hung WC, flush plate Visign, walling in and around
- actuation from front, dual flush technology

Components

galvanised steel frame, 1F concealed cistern, WC connection elbow DN90 made of PE, WC connection fitting, condensation water protection, reinforcement fabric, fixing material for frames

cistern configuration



corner valve with pre-mounted water connection Rp½, filling valve set, drain valve set

Note

Immediate refushing is possible at the factory settings! Flush plates and accessories, see group T5!

Model 8309.145

	PU	Article	
	12	686 208	



Viega Mono Tec WC block

- for wall-hung WC, flush plate Visign, walling in and around
- actuation from front, dual flush technology

Components

galvanised steel frame, 1F concealed cistern, flushing pipe ventilator connection DN50, WC connection elbow DN90 made of PE, WC connection fitting, condensation water protection, reinforcement fabric, fixing material for frames

cistern configuration

corner valve with pre-mounted water connection Rp½, filling valve set, drain valve set

Technical data


- Flush volume factory setting approx. 6 and 3 l
- Small flush volume setting range approx. 3–4 l
- Full flush volume setting range approx. 6–9 l


Note

Immediate refushing is possible at the factory settings! Flush plates and accessories, see group T5!

Model 8308.8

	PU	Article	
	1	662 752	






Viega Mono Tec Bidet block
- for wall-hung bidet, walling in and around

Components

galvanised steel frame, continuously height and width-adjustable wall plates made of gunmetal Rp½, height-adjustable drain elbow DN40, fixing material for frames

Model 8367



	PU	Article		
	1	648 800		

WC pre-wall blocks

Viega Mono WC block

- for walling in and around, wall-hung WC, single mounting, line mounting, flush plate Visign - actuation from front, dual flush technology, can be shortened from 1330-980 mm

Components

2H concealed cistern, WC connection elbow DN90 made of PP, eccentric adapter unit DN90/100 made of PP, WC connection fitting, sound insulating EPS casing, fixing material for block and ceramic

cistern configuration

corner valve with pre-mounted water connection Rp½, filling valve set, drain valve set



Technical data

Small flush volume setting range approx. 3-4 l
Full flush volume setting range approx. 6-9 l
Flush volume factory setting approx. 6 and 3 l

Note

Immediate reflushing is possible at the factory settings! Flush plates and accessories, see group T5! Also available: flush pipe elbow with ventilator connection model 8310.78 Also available: mounting set model 8310.54


Model 8310.2



CH	PU	Article		
980-1130	15	606 732 ¹		

CH = construction height

¹ dependent of the WC ceramic, the WC lid may partially cover the flush plate when open, when using the Visign for More sensitive flush plate this leads to unwanted actuation of the flush



Viega Mono WC block

- for walling in and around, wall-hung WC, single mounting, line mounting, flush plate Visign
- suitable for Flushing pipe elbow model 8310.78, Viega Mono Mounting set model 8310.54
- actuation from front, dual flush technology, can be shortened from 1330-980 mm

Components

2H concealed cistern, WC connection elbow DN90 made of PP, eccentric adapter unit DN90/100 made of PP, WC connection fitting, sound insulating EPS casing, fixing material for block and ceramic

cistern configuration

corner valve with pre-mounted water connection Rp½, filling valve set, drain valve set

Note



Immediate reflushing is possible at the factory settings! Flush plates and accessories, see group T5! Also available: flush pipe elbow with ventilator connection model 8310.78 Also available: mounting set model 8310.54

Model 8310.045

CH	PU	Article
980-1130	15	686 215'

CH = construction height

¹⁾ dependent of the WC ceramic, the WC lid may partially cover the flush plate when open, when using the Visign for More sensitive flush plate this leads to unwanted actuation of the flush



Viega Mono WC block

- for wall-hung WC, flush plate Visign, walling in and around, single mounting, line mounting
- actuation from top, dual flush technology

Components

2L concealed cistern, WC connection elbow DN90 made of PP, eccentric adapter unit DN90/100 made of PP, WC connection fitting, sound insulating EPS casing, fixing material for block and ceramic

cistern configuration

corner valve with pre-mounted water connection Rp½, filling valve set, drain valve set

Technical data

- Small flush volume setting range approx. 3-4 l
- Full flush volume setting range approx. 6-9 l
- Flush volume factory setting approx. 6 and 3 l


Note


Immediate reflushing is possible at the factory settings! Flush plates and accessories, see group T5!

Model 8337.2

CH	PU	Article
835	14	606 749

CH = construction height





Viega Mono WC block

- for wall-hung WC, flush plate Visign, walling in and around, single mounting, line mounting
- actuation from top, dual flush technology

Components

2L concealed cistern, WC connection elbow DN90 made of PP, eccentric adapter unit DN90/100 made of PP, WC connection fitting, sound insulating EPS casing, fixing material for block and ceramic

cistern configuration

corner valve with pre-mounted water connection Rp½, filling valve set, drain valve set



Note

Immediate reflushing is possible at the factory settings! Flush plates and accessories, see group T5!

Model 8337.45

CH	PU	Article		
835	14	686 222		

CH = construction height



Viega Mono WC block

- for wall-hung WC, flush plate Visign, walling in and around, single mounting, line mounting
- actuation from front, dual flush technology

Components

2L concealed cistern, WC connection elbow DN90 made of PP, eccentric adapter unit DN90/100 made of PP, WC connection fitting, sound insulating EPS casing, fixing material for block and ceramic

cistern configuration

corner valve with pre-mounted water connection Rp½, filling valve set, drain valve set

Technical data

Small flush volume setting range approx. 3–4 l

Full flush volume setting range approx. 6–9 l

Flush volume factory setting approx. 6 and 3 l


Note


Immediate reflushing is possible at the factory settings! Dependent of the WC ceramic, the open WC lid may partially cover the flush plate! When dealing with WC ceramic with a projection of more than 500 mm, such as e.g.: V & B Viala 765310, Viala 765210, Keramag Renova-Comprimo 204550, Joly 203060, the WC lid may fall shut, and therefore actuation from top should be applied! Flush plates and accessories, see group T5!

Model 8338.2

CH	PU	Article		
835	14	606 756		

CH = construction height





Viega Mono WC block

- for wall-hung WC, flush plate Visign, walling in and around, single mounting, line mounting
- actuation from front, dual flush technology

Components

2L concealed cistern, WC connection elbow DN90 made of PP, eccentric adapter unit DN90/100 made of PP, WC connection fitting, sound insulating EPS casing, fixing material for block and ceramic

cistern configuration

corner valve with pre-mounted water connection Rp½, filling valve set, drain valve set


Note

Immediate refushing is possible at the factory settings! Dependent of the WC ceramic, the open WC lid may partially cover the flush plate! When dealing with WC ceramic with a projection of more than 500 mm, such as e.g.: V & B Viala 765310, Viala 765210, Keramag Renova-Comprimo 204550, Joly 203060, the WC lid may fall shut, and therefore actuation from top should be applied! Flush plates and accessories, see group T5!

Model 8338.45

	CH	PU	Article	
	835	14	686 239	

CH = construction height



Bidet pre-wall blocks

Viega Mono Bidet block



- for wall-hung bidet, walling in and around, single mounting, line mounting

Components

sound insulating EPS casing, sound insulated fastener for Viega wall plates, height-adjustable bracket for cold and hot water connection, height-adjustable drain elbow DN40/50, rubber nipple DN40/30, fixing material for block and ceramic

Model 8317

	PU	Article	
	30	421 168	



Accessories for WC and bidet pre-wall blocks

Viega Mono Mounting set


- for mounting assistant on ceramic fixing, Viega Mono WC/bidet block
- galvanised steel


Components

fixing material

Model 8310.5



L	PU	Article	
515	1	400 767	





Viega Mono Standing bracket
 - for self-supporting mounting,
 Viega Mono WC/bidet block
 - galvanised steel
Model 8310.45

	PU	Article		
	1	460 433		



Mounting rail
 - for fixing of Viegaswift elements,
 line mounting of
 Viega Eco Plus/Viega Eco
 element, Viega Mono WC/Bidet
 blocks
 - galvanised steel
Components
 fixing material, compensating
 material for uneven walls
Model 8001

L	B	H	PU	Article		
3000	40	22	4	283 872		



Viega Mono Mounting set
 - suitable for Viega Mono Bidet
 block model 8317, Viega Mono
 WC block model 8310.2
 - galvanised steel
Model 8310.54

	PU	Article		
	1	638 825		

Urinal shell construction set

Viega Mono Urinal installation set

- for urinal with concealed, connection of the Visign fitting set (manual and touchless actuation)



Components

universal installation set in compact design, plastic installation box, pre-mounted water path, flush-through plug, pre-blocking, Rp½ fitting connection, cleaning cover

Note

Flush plates and accessories, see group T5!

Model 8328



	PU	Article		
	1	442 439		

Washbasin pre-wall blocks



Viega Mono Washbasin block

- for WB with single-hole fitting, walling in and around

Components

sound insulating EPS casing, drain elbow DN40/50, rubber nipple DN40/30, sound insulated fastener for Viega wall plates, fixing material for block and ceramic

Model 8313



DG (range)	PU	Article		
80-200	1	400 781		

DG (range) = depth gauge

Pre-wall fittings for pre-wall blocks



Viega Mono Fitting block

- for wall-mounted fitting, walling in and around

Components

sound insulating EPS casing, sound insulated fastener for Viega wall plates, fixing material for block and ceramic

Model 8313.5



DG (range)	PU	Article		
80-200	1	403 218		

DG (range) = depth gauge

