


Drainage technology

V2 Drains for washbasins and bidets



viega



tested in accordance with EN 274, quality controlled

Quick mounting and easy to handle.

Visign universal and slotted valves with non-lockable plate or click-close plate.

Room-saving traps for the special comfort.

Accessories which meet practical demand complete the program.

Index

Universal and slotted valves	618
Room saving, barrier free traps	621
Concealed and pre-wall odour traps for appliances	622
Pipe odour traps	625
Odour traps for bidets	628
Eleganta bottle odour traps and corner valves	629
Bottle odour traps	632
Accessories	637



EAN-Code

The EAN-Code composed out of the constant manufacturer number 4015211 and a six-digit article code - in this example 305 611. The exchange of the last six digits against the article code shows the EAN-Code.

Universal and slotted valves



Universal valve

Components

matt chrome-plated brass valve bottom, valve plug

Model 5121

G	Ø	Version	PU	Article
1¼	60	polished	1	100 261 ¹
1¼	60	polished brass	1	129 286 ²
1¼	60	chrome matt	1	310 653 ¹
1¼	60	white=RAL 9010	1	118 679 ¹

¹⁾ valve top made of stainless steel

²⁾ valve top made of brass



Universal valve

Components

valve top made of stainless steel, valve plug, chrome-plated ball chain with chain holder

Model 5121.05

G	Ø	SL	PU	Article
1¼	60	55	1	135 881*

SL = screw length

* = Delivery just out of stock



Universal valve

Components

valve top made of stainless steel, valve plug, lower part of valve made of plastic

Model 5121K

G	Ø	PU	Article
1¼	55	50	111 847



Universal valve

Components

valve top made of stainless steel, silver-coloured plastic valve bottom, valve plug

Model 5121.3

G	Ø	Version	PU	Article
1¼	60	grey	50/2100	101 299



Universal valve

Components

matt chrome-plated brass valve bottom, stainless steel sieve

Model 5125

G	Ø	PU	Article
1¼	60	1	104 337



Universal valve

Visign V1


- chrome-plated brass
- non-lockable

Components

round cover plate

Model 5438

G	Ø	PU	Article
1¼	63	1	492 670



Universal valve

Visign V1


- chrome-plated brass
- lockable

Components

round click-close cover

Model 5439

G	Ø	PU	Article
1¼	63	1	492 687




Universal valve
Visign V1
 - chrome-plated brass
 - lockable
Components
 concealed click-close cover
Model 5439.5

G	Ø	PU	Article		
1¼	63	1	680 701		



Universal valve
Visign V2
 - chrome-plated brass
 - non-lockable
Components
 square cover plate
Model 5440

G	Ø	PU	Article		
1¼	63	1	492 793		



Universal valve
Visign V2
 - chrome-plated brass
 - lockable
Components
 square click-close cover
Model 5441

G	Ø	PU	Article		
1¼	63	1	492 809		



Slotted valve
 - without overflow
Components
 valve plug, lower part of valve made of plastic
Model 5212.1

G	Ø	L	Version	PU	Article		
1¼	60	70	chrome-plated	1	113 513		




Slotted valve
Components
 valve plug, overflow slot, profile seal
Model 5222

G	Ø	L	Version	PU	Article		
1¼	60	70	chrome-plated	50	102 296		



Slotted valve
 - brass
Components
 valve plug, profile seal, overflow slot
Model 5222.1

G	Ø	L	Version	PU	Article		
1¼	60	70	chrome-plated	1	111 861		
1¼	60	70	white=RAL 9010	1	129 040		



Slotted valve
Components
 with valve plug (metal attachment), chrome-plated ball chain with chain holder, overflow slot, flar seal
Model 5222.05

G	Ø	L	PU	Article		
1¼	60	70	50	119 003		



Slotted valve
 - chrome-plated brass
 - without overflow
Components
 sieve, profile seal
Model 5216.1

G	Ø	L	PU	Article
1¼	60	70	1	112 936



Slotted valve
 - brass
Components
 sieve, overflow slot, profile seal
Model 5226.1

G	Ø	L	Version	PU	Article
1¼	60	70	chrome-plated	1	116 637
1¼	60	70	polished brass	1	150 723
1¼	60	70	chrome matt	1	310 554
1¼	60	70	white=RAL 9010	1	131 487



Slotted valve
Visign V1
 - chrome-plated brass
 - non-lockable
 - without overflow
Components
 round cover plate, profile seal
Model 5430

G	Ø	L	PU	Article
1¼	63	50	1	492 571
1¼	63	75	1	492 557



Slotted valve
Visign V1
 - chrome-plated brass
 - lockable
 - without overflow
Components
 round click-close cover, profile seal
Model 5431

G	Ø	L	PU	Article
1¼	63	50	1	492 588
1¼	63	75	1	492 564




Slotted valve
Visign V1
 - chrome-plated brass
 - non-lockable
Components
 overflow slot, round cover plate, profile seal
Model 5432

G	Ø	L	PU	Article
1¼	63	75	1	492 595



Slotted valve
Visign V1
 - chrome-plated brass
 - lockable
Components
 round click-close cover, overflow slot, profile seal
Model 5433

G	Ø	L	PU	Article
1¼	63	75	1	492 601




Drain
 - stainless steel
 - without odour trap

G	Ø	d	L	PU	Article
1¼	63	35	475	1	559 779

Components
 matt chrome-plated brass valve
 bottom, drain valve, safety screw,
 compressible drain elbow, drain
 pipe
Model 5422

Room saving, barrier free traps



Pipe odour trap
 - space saving
Components
 drain valve, chrome-plated brass
 standpipe
Model 6932.495

G	DN	PU	Article
1½	40	1	133 207

Bottle odour trap



Components
 cup Ø 50 mm, drain valve, chrome-plated brass standpipe, rosette
Model 5753.771


G	DN	Version	PU	Article
1½	32	chrome-plated	270	132 675

Bottle odour trap



- space saving
Components
 cup Ø 50 mm, stainless steel
 universal valve, valve plug
Model 5753.09

G	DN	Version	PU	Article
1¼	32	chrome-plated	10	148 355



Bottle odour trap

- plastic
- space saving
- without drain pipe


Components

cup Ø 50 mm, rosette

Model 5730

G	DN	PU	Article
1¼	32	50	128 913

Concealed and pre-wall odour traps for appliances



Odour trap

- for wall-mounted assembly
- plastic
- height-adjustable


Components

white plastic drain elbow

quality controlled in accordance with EN 274

Model 5634.1

G	DN	PU	Article
1¼	32	1	570 323
1¼	40	1	553 128




Odour trap

- for concealed mounting
- plastic
- height-adjustable

Note

For Keramag WB models "Paracelsus", "Vitalis", "Dejuna", the suitable drain has to be ordered from Keramag under the following model number: concealed siphon with cover plate, Keramag model no.: Paracelsus; Vitalis 521 323, Dejuna 521 423!


quality controlled in accordance with EN 274




Model	G	DN	PU	Article
5633.1	1¼	50/40	1	553 753⁰
5633.2	1¼	50/40	1	553 760¹

⁰) chrome-plated cover plate, chrome-plated plastic drain elbow

¹) white plastic cover plate, white plastic drain elbow





Odour trap
 - for concealed mounting
 - plastic
 - height-adjustable
 - without drain elbow

Components
 - chrome-plated plastic cover plate
 - quality controlled in accordance with
 EN 274
Model 5633.3

G	DN	PU	Article		
1¼	50/40	1	553 777		





Cover plate
 - plastic
Model 5633.90

L	B	H	Version	PU	Article		
195	110	10	chrome-plated	1	592 516		
195	110	10	white=RAL 9010	1	670 979		




Drain elbow 90°
 - chrome-plated brass
Model 5621.24

G	DN	L	PU	Article		
1¼	32	350	1	575 588		




Drain
 - for WB with overflow
 - plastic
Components
 - valve cone actuator with lifting mechanism
Model 5815.586-K

G	Ø	PU	Article		
1¼	60	25	131 142		




Drain
 - for WB with overflow
 - plastic
Components
 - valve cone actuator with lifting mechanism
Model 5816

G	Ø	PU	Article		
1¼	60	50	137 328		




Drain
 - for WB with overflow
Components
 - valve cone actuator with lifting mechanism
Model 5815.586

G	Ø	PU	Article		
1¼	60	1	317 003		




Drain
- for WB with overflow
Components
draw button
Model 5815

G	Ø	PU	Article
1¼	60	1	316 990




Drain
- for WB with overflow
- plastic
Components
draw button
Model 5815K

G	Ø	PU	Article
1¼	60	1	135 713




Drain elbow 90°
- chrome-plated brass
Model 5621.1-880


G	DN	L	PU	Article
1¼	32	255	10	119 263



Drain elbow 90°
- plastic
Model 5621.25


G	DN	L	Version	PU	Article
1¼	32	300	white	1	618 865






Drain elbow 90°
- plastic
Components
drain pipe
Model 5632.2

G	DN	L	Version	PU	Article
1¼	32	225	white	1	368 906




Pipe odour traps




Pipe odour trap Plus siphon
- brass
Components
adjusting pipe 120 mm, outlet elbow 220 mm
quality controlled in accordance with EN 274
Model 5611.5

G	DN	Version	PU	Article
1¼	32	chrome-plated	25	101 572
1¼	32	polished brass	1	125 165
1¼	32	chrome matt	1	310 226
1¼	32	white=RAL 9010	1	108 939




Pipe odour trap Plus siphon
- chrome-plated brass
Components
screw fitting G¾, closing panel, adjusting pipe 200 mm, outlet elbow 220 mm
quality controlled in accordance with EN 274
Model 5611.6

G	DN	PU	Article
1¼	32	1	445 577



Pipe odour trap
- without outlet elbow
Components
rosette
Model 5611.0

G	DN	d	Version	PU	Article
1¼	32		chrome-plated	25	125 073
1½		38	chrome-plated	25	121 549



Pipe odour trap
- without outlet elbow

Components

rosette, stainless steel universal valve, valve plug

Model 5612.0

G	DN	Version	PU	Article
1¼	32	chrome-plated	25	120 696



Pipe odour trap

Components

outlet elbow, rosette

Model 5611.23

G	DN	Version	PU	Article
1¼	32	chrome-plated	1	128 295



Pipe odour trap

Components

outlet elbow, rosette, stainless steel universal valve, valve plug

Model 5611.29

G	DN	Version	PU	Article
1¼	32	chrome-plated	1	128 883





Pipe odour trap

- chrome-plated brass

quality controlled in accordance with EN 274

Model 5611

G	DN	d	L1	L2	H1	H2	PU	Article
1¼	32		75	170	140-190	115	50	305 611
1¼		38	85	200	160-220	125	1	123 451
1½		38	85	200	140-200	125	1	122 515



Pipe odour trap

- chrome-plated brass


Components


adjusting pipe 150 mm, outlet elbow 170 mm

quality controlled in accordance with EN 274

Model 5611.916

G	DN	PU	Article
1¼	32	50	193 645






Pipe odour trap
- chrome-plated brass
Components

adjusting pipe 75 mm, outlet
elbow 250 mm

quality controlled in accordance with
EN 274

Model 5611.917

G	DN	PU	Article
1 1/4	32	25	193 638




Pipe odour trap

Components
long adjusting pipe
Model 5611.913

G	DN	FPL	PU	Article
1 1/4	32	120	50	160 906

FPL = flange pipe length




Pipe odour trap
- chrome-plated brass
Components

stainless steel universal valve,
valve plug, seal for top of valve,
adjusting pipe 103 mm, outlet
elbow 170 mm

quality controlled in accordance with
EN 274

Model 5612


G	DN	PU	Article
1 1/4	32	25	111 298




Pipe odour trap
- plastic
quality controlled in accordance with
EN 274

Model 5611K


G	DN	PU	Article
1 1/4	32	50	105 952
1 1/4	40	50	406 462






Pipe odour trap
 - plastic
 - space saving
 quality controlled in accordance with
 EN 274
Model 5729

G	DN	PU	Article
1¼	32	50	606 220
1¼	40	50	606 237





Odour traps for bidets





Bottle odour trap
 - for bidet
Model 5555

G	DN	L	Version	PU	Article
1¼	32	200	chrome-plated	25	114 619
1¼	32	250	chrome-plated	25	116 941




Pipe odour trap
 - for bidet
 - chrome-plated brass
Model 5535

G	DN	Version	PU	Article
1¼	32	chrome-plated	10/540	103 781
1¼	32	chrome-plated	10	124 663
1¼	32	polished brass	1	133 078
1¼	32	chrome matt	1	310 462
1¼	32	white=RAL 9010	1	120 351





Pipe odour trap
 - for bidet
Components
 valve plug, stainless steel
 universal valve
Model 5535.4

G	DN	L	PU	Article
1¼	32	60	25	440 152




Bottle odour trap
- for bidet
- plastic
Model 5555K

G	DN	PU	Article
1 1/4	32	1	120 337




Pipe odour trap
- for bidet
- plastic
quality controlled in accordance with EN 274
Model 5536

G	DN	PU	Article
1 1/4	32	1	218 980
1 1/4	40	50	406 486




Eleganta bottle odour traps and corner valves




Eleganta 1 Bottle odour trap
- chrome-plated brass
Components
adjusting pipe 200 mm, outlet pipe 310 mm, rosette Ø32xØ80xH15 mm
Model 5788

G	DN	PU	Article
1 1/4	32	1	440 190



Eleganta 2 Bottle odour trap
- chrome-plated brass
Components
adjusting pipe 200 mm, outlet pipe 310 mm, rosette Ø32xØ80xH15 mm
Model 5788.5

G	DN	PU	Article
1 1/4	32	1	493 981



Eleganta 3 Bottle odour trap


- chrome-plated brass

Components

adjusting pipe 200 mm, outlet pipe
310 mm, rosette Ø32xØ80xH15
mm

Model 5788.6

G	DN	PU	Article
1¼	32	1	493 998



Eleganta set 1 Bottle odour trap

- equipped with Eleganta 1 Corner

valve model 5788.45



- chrome-plated brass

Components

adjusting pipe 200 mm, outlet pipe
310 mm, rosette Ø32xØ80xH15
mm

Model 5788.4

G	DN	PU	Article
1¼	32	1	492 489



Eleganta set 2 Bottle odour trap

- equipped with Eleganta 2 Corner

valve model 5788.29

- chrome-plated brass


Components


adjusting pipe 200 mm, outlet pipe
310 mm, rosette Ø32xØ80xH15
mm

Model 5788.2

G	DN	PU	Article
1¼	32	1	490 614*

* = Delivery just out of stock







Eleganta set 3 Bottle odour trap
 - equipped with Eleganta 3 Corner valve model 5788.39
 - chrome-plated brass

Components
 adjusting pipe 200 mm, outlet pipe 310 mm, rosette Ø32xØ80xH15 mm

Model 5788.3

G	DN	PU	Article		
1¼	32	1	490 621*		

* = Delivery just out of stock



Eleganta 1 Corner valve

- chrome-plated brass
 - self-sealing R-thread

Components
 slidable rosette, long brass cone
 crimp screw fitting

Model 5788.45

R	DN	PU	Article		
½	10	1	556 150		



Eleganta 2 Corner valve


- self-sealing R-thread

Components
 rosette, long brass cone crimp screw fitting

test mark: PA IX 755/IA

Model 5788.29

R	DN	Version	PU	Article		
½	10	chrome-plated	1	575 687		



Eleganta 3 Corner valve

- self-sealing R-thread

Components
 rosette, long brass cone crimp screw fitting

test mark: PA IX 755/IA

Model 5788.39

R	DN	Version	PU	Article		
½	10	chrome-plated	1	575 694		



Eleganta Pipe set

- for extension for Eleganta corner valve

Model 5788.71

G	DN	L	PU	Article		
¾	10	200	1	658 298		




Eleganta Pipe

- for odour trap
 - chrome-plated brass

Model 5788.70

DN	L	PU	Article		
32	460	1	595 289		





Bottle odour trap
 - for WB without overflow
 - plastic

Components

chrome-plated removable cover
 stand pipe, white drain pipe, white
 odour trap

Model 5420

DN	PU	Article		
32	1	470 081		




Bottle odour trap
 - for WB without overflow

Components

chrome-plated removable cover
 stand pipe, chrome-plated outlet
 pipe made of brass, chrome-
 plated odour trap

Model 5421

DN	PU	Article		
32	1	472 528		



Bottle odour traps



Bottle odour trap

- brass


Components

cup Ø 50 mm, adjusting pipe 75 mm, outlet pipe 200 mm
 quality controlled in accordance with EN 274

Model 5753



G	DN	Version	PU	Article		
1¼	32	chrome-plated	25	100 674		
1¼	32	polished brass	1	134 990		
1¼	32	chrome matt	1	310 158		
1¼	32	white=RAL 9010	1	116 255		



Bottle odour trap


Components

cup Ø 50 mm

Model 5753.904

G	DN	FPL	Version	PU	Article
1¼	32	120	chrome-plated	25	122 157

FPL = flange pipe length



Bottle odour trap


Components

cup Ø 50 mm, stainless steel universal valve, valve plug with ball chain

Model 5753.906

G	DN	FPL	Version	PU	Article
1¼	32	150	chrome-plated	25	130 060

FPL = flange pipe length



Bottle odour trap

Components

cup Ø 50 mm, slotted valve, overflow slot, valve plug, chrome-plated ball chain with chain holder

Model 5753.91

G	DN	FPL	PU	Article
1¼	32	120	1	155 506

FPL = flange pipe length



Bottle odour trap


- without drain pipe

Components

cup Ø 50 mm, rosette

Model 5753.0

G	DN	Version	PU	Article
1¼	32	chrome-plated	25	106 164



Bottle odour trap


- without drain pipe

Components

cup Ø 50 mm, rosette, stainless steel universal valve, valve plug

Model 5754.0

G	DN	Version	PU	Article
1¼	32	chrome-plated	25	102 555



Bottle odour trap


- plastic
- without drain pipe, rosette

Components

cup Ø 50 mm, stainless steel universal valve, valve plug

Model 5726.2

G	DN	PU	Article		
1¼	32	50	108 014		



Bottle odour trap

- plastic
- without drain pipe

Components

cup Ø 50 mm, rosette, stainless steel universal valve, valve plug

Model 5726.0

G	DN	PU	Article		
1¼	32	50	102 531		



Bottle odour trap


- without drain pipe

Components

cup Ø 50 mm, rosette, stainless steel universal valve, valve plug

Model 5755.0

G	DN	Version	PU	Article		
1¼	32	chrome-plated	25	366 704		



Bottle odour trap

- for bidet
- without drain pipe

Components

rosette

Model 5555.0

G	DN	Version	PU	Article		
1¼	32	chrome-plated	1	137 434*		

* = Delivery just out of stock



Bottle odour trap

- for bidet
- without drain pipe, rosette

Model 5555.2

G	DN	Version	PU	Article		
1¼	32	chrome-plated	25	111 786		



Bottle odour trap


- without drain pipe

Components

cup Ø 50 mm, drain pipe 250 mm

Model 5753.2

G	DN	Version	PU	Article		
1¼	32	chrome-plated	25	105 082		



Bottle odour trap


Components

cup Ø 50 mm, stainless steel universal valve, valve plug, long adjusting pipe
quality controlled in accordance with EN 274

Model 5756

G	DN	FPL	Version	PU	Article
1¼	32	150	chrome-plated	25	456 580

FPL = flange pipe length




Bottle odour trap

Components

cup Ø 50 mm, stainless steel universal valve, valve plug
quality controlled in accordance with EN 274

Model 5755

G	DN	Version	PU	Article
1¼	32	chrome-plated	25	366 681



Bottle odour trap

- chrome-plated brass

Components

cup Ø 50 mm, universal valve, valve plug, seal for top of valve, adjusting pipe 103 mm, outlet pipe 200 mm
quality controlled in accordance with EN 274

Model 5754

G	DN	PU	Article
1¼	32	1	102 845



Bottle odour trap


- without drain pipe

Components

cup Ø 50 mm, stainless steel universal valve, valve plug

Model 5754.2

G	DN	Version	PU	Article
1¼	32	chrome-plated	1	105 631



Bottle odour trap


- plastic

Components

cup Ø 50 mm



Model 5725

G	DN	L1	L2	H1	H2	PU	Article
1¼	32	40	185	145-235	100	50	108 694
1¼	40	45	180	150-240	105	25	151 560
1½	40	45	180	160-225	105	25	119 270




Bottle odour trap
- plastic
Components
long adjusting pipe
Model 5725.911

G	DN	L1	L2	H1	PU	Article
1¼	32	40	185	145-315	50	109 363
1½	40	45	180	160-280	25	108 991




Bottle odour trap
- plastic
- without drain pipe
Components
cup Ø 50 mm, rosette
Model 5725.0

G	DN	PU	Article
1¼	32	50	120 764
1½	40	50	130 558




Bottle odour trap
- plastic
- without drain pipe, rosette
Components
cup Ø 50 mm
Model 5725.2

G	DN	PU	Article
1¼	32	50	101 992
1¼	40	50	137 755
1½	40	50	103 149




Bottle odour trap
- plastic
Components
cup Ø 50 mm, waste water hose connection
Model 5727


G	DN	PU	Article
1¼	32	1	326 319



Bottle odour trap
- chrome-plated brass
Components
cup Ø 60 mm, rosette, adjusting pipe 95 mm, outlet pipe 200 mm
quality controlled in accordance with EN 274
Model 5763

G	DN	PU	Article
1¼	40	10	114 213
1½	40	1	125 844





Bottle odour trap

- plastic


Components

cup Ø 50 mm, stainless steel
universal valve, valve plug with
ball chain

quality controlled in accordance with
EN 274

Model 5725.912

G	DN	PU	Article
1¼	32	50	110 321



Bottle odour trap



- plastic

Components

cup Ø 50 mm, stainless steel universal valve, valve plug

Model 5726

G	DN	L1	L2	H1	H2	PU	Article
1¼	32	40	185	155-215	100	50	103 927
1¼	40	45	180	165-225	105	50	309 312
1½	40	45	180	185-235	105	10	137 182



Bottle odour trap

- plastic

Components

cup Ø 50 mm, stainless steel universal valve, valve plug, chrome-plated ball chain with chain holder

Model 5726.51

G	DN	PU	Article
1¼	40	50	335 373

Accessories



Drain pipe

- brass

Components

flanged rim

Model 9945-143

DN	L	Version	PU	Article
32	75	chrome-plated	1	121 587
32	120	chrome-plated	5	670 856
32	150	chrome-plated	10	670 863
32	200	chrome-plated	50/2000	100 599
32	250	chrome-plated	50/1600	101 480
32	300	chrome-plated	50/1400	102 203
32	300	white=RAL 9010	5	125 813
32	300	polished brass	1	141 493
32	300	chrome matt	1	310 011
32	500	chrome-plated	5	128 326
38	300	chrome-plated	1	142 766
40	300	chrome-plated	5	131 388




Drain pipe
- for bidet
Components
union nut, seal
Model 9945

DN	L	Version	PU	Article
32	200	chrome-plated	1	117 382
32	250	chrome-plated	40	171 353
32	300	chrome-plated	40	137 106



Outlet pipe 90°
- for bottle odour trap
- chrome-plated brass
- without flanged rim
Model 5792-111

DN	L1	L2	PU	Article
32	130	250	1	127 930
32	220	250	25	114 718
32	220	750	25	335 199
32	250	580	10	110 710
32	220	680	25	102 654
40	220	580	1	125 424
40	220	680	1	136 376



Outlet elbow 180° floor pipe
- for pipe odour trap
- chrome-plated brass


Model	DN	L	WF	PU	Article
5611.1-147	38	680	✓	1	130 978
5611-147	32	680		10	116 149

WF = with flange rim




Drain elbow 90°
Components
flanged rim
Model 792-111

d	DN	L	Version	PU	Article
39	32	680	chrome-plated	1	131 104
65	40	580	chrome-plated	1	140 465



T-piece
- for connection of two wash-basin odour traps at the double washbasin
Model 5617.156

G1	G2	G3	Version	PU	Article
1¼	1½	1¼	chrome-plated	1	134 914



Outlet pipe 90°
- plastic
Model 5791-111

DN	L1	L2	PU	Article
32	220	680	50	102 579
32	220	750	50	132 774
40	220	680	75	123 901



Adjusting pipe
 - chrome-plated plastic
Components
 - screw fitting G $\frac{3}{4}$, closing panel
Model 5692.1

G	L	PU	Article
1 $\frac{1}{4}$	200	10	103 033



Outlet elbow 90°
 - for odour trap
 - chrome-plated brass
Components
 - flanged rim
Model 5611-101


DN	d	L	PU	Article
32		175	10	116 828
32		220	10	109 189*
32		250	10	105 860
32		300	10	105 594
	38	200	1	126 681

* = Delivery just out of stock



Pipe
 - for drain pipe extension
 - chrome-plated brass
 - without flanged rim
Model 5753-542

DN	L	PU	Article
32	200	50	104 627
32	250	50	112 240
32	300	50	111 113
32	700	1	121 730




Drain pipe
 - chrome-plated brass
 - without flanged rim
Components
 - pipe aerator
Model 5753.01

DN	L	PU	Article
32	200	1	117 764
32	300	1	132 248



Pipe
 - chrome-plated brass
Components
 - sleeve, O-ring
Model 5694

DN	L	PU	Article
32	125	25	102 647



Pipe
 - chrome-plated brass
Components
 - sleeve, O-ring, pipe aerator
Model 5694.5

DN	L	PU	Article
32	125	1	115 524



Drain elbow 90°
 - chrome-plated copper
Components
 - sleeve, O-rings
Model 5696

DN1	DN2	PU	Article
32	32	10	622 329



Drain elbow 45°
 - chrome-plated copper
Components
 - sleeve, O-rings
Model 5698

DN1	DN2	PU	Article
32	32	10	701 369



T-piece
 - chrome-plated copper
Components
 - sleeve, O-rings
Model 5697

DN	PU	Article		
32	1	622 312		



Sleeve
 - chrome-plated brass
Components
 - O-rings
Model 5695

DN	PU	Article		
32	25	102 371		



Coupling
Components
 - conical seal, soldering adapter
Model 5972.152

G	DN	Version	PU	Article		
1¼	35	chrome-plated	1	113 681		
1½	42	chrome-plated	1	113 315		



Connection pipe
 - brass
Model 5973

G	DN	Version	PU	Article		
1¼	32	matt nickel-plated	1	117 788		
1½	40	matt nickel-plated	1	119 379		




Connection screw fitting
 - plastic
Model 7988

DN1	DN2	PU	Article		
32	32	50	138 110		



Coupling
 - chrome-plated brass
Components
 - conical seals, stop unit
Model 5972.153

DN	PU	Article		
32	1	105 488		
40	1	129 477		



T-piece
 - for connection of two wash-basin
 odour traps at the double
 washbasin
 - chrome-plated brass
Model 5617

G	DN	L	PU	Article		
1¼	32	250	1	120 573		