

# Drainage technology

V4 Drains for WCs and urinals

V4



**viega**



**tested in accordance with DIN 1380 and 1389**

Colour variety which meets all design trends.

Additional connection possibilities at elbows and sockets.

Wall and stand WC connection fittings as a complete unit.

Environmentally friendly PP (polypropylene). This high-quality material guarantees the best compatibility for domestic waste waters.

**Index**

Connection elbows and pipes	666
Connection elbows and pipes with additional connection	667
Rosettes	668
Wall WC connection sets	668
Urinal drains	672
Urinal bells	674
Accessories	675




4 015211 305611

**EAN-Code**

The EAN-Code composed out of the constant manufacturer number 4015211 and a six-digit article code - in this example 305 611. The exchange of the last six digits against the article code shows the EAN-Code.

## Connection elbows and pipes



### Connection elbow 90°

- for WC
- plastic



#### Components

lip seal

in accordance with DIN 1389

#### Model 3811

DN	Version	PU	Article
100	alpine white	25/250	100 551
100	beige	10	103 125
100	manhattan	10	105 051
100	moss green	10	123 758
100	pergamon/camee	10	130 435



### Connection elbow 45°

- for WC
- plastic


#### Components

lip seal

in accordance with DIN 1389

#### Model 3812

DN	Version	PU	Article
100	alpine white	25/400	101 718
100	beige	10	107 567
100	manhattan	10	110 840
100	moss green	10	140 014
100	pergamon/camee	10	145 743



### Connection elbow 22.5°

- for WC
- plastic


#### Components

lip seal

in accordance with DIN 1389

#### Model 3813

DN	L	Version	PU	Article
100	150	alpine white	25/400	101 855
100	150	beige	10	109 578
100	150	manhattan	10	112 516
100	150	moss green	10	140 809
100	150	pergamon/camee	10	146 801
100	360	alpine white	10/200	116 484
100	360	beige	1	147 945



### Connection pipe

- for tolerance adjustment at the WC drain connection
- plastic


#### Components

eccentric sleeve, lip seal

in accordance with DIN 1389

#### Model 3815.1

DN	L	Version	PU	Article
100	155	alpine white	1	103 231
100	255	alpine white	10/240	614 775



**Connection pipe**

- for WC
- plastic

**Components**


lip seal

in accordance with DIN 1389

**Model 3815**

DN	L	Version	PU	Article
100	150	alpine white	10/360	103 668
100	250	alpine white	10/240	101 312
100	250	beige	10	107 086
100	250	manhattan	10	111 908
100	250	pergamon/comee	10	268 275
100	400	alpine white	10	101 831
100	400	beige	10	106 539
100	400	manhattan	10	106 805
100	400	pergamon/comee	10	130 664
100	400	moss green	10	133 955

**Connection elbows and pipes with additional connection**



**Connection elbow 90°**

- for WC
- plastic


**Components**

lip seal, additional connection

in accordance with DIN 1389

**Model 3811.1**

DN1	L	DN2	Version	PU	Article
100	230	40	alpine white	130	110 291
100	230	50	alpine white	130	109 462



**Connection elbow 90°**

- for WC
- plastic



**Components**

lip seal, 2 additional connections

in accordance with DIN 1389

**Model 3811.3**

DN1	L	DN2	Version	PU	Article
100	155	50	alpine white	1	191 801




**Connection pipe**

- for WC
- plastic
- Components
- lip seal, additional connection
- in accordance with DIN 1389

**Model 3815.2**

DN1	L	DN2	Version	PU	Article
100	175	50	alpine white	1	<b>119 645</b>

**Rosettes**




**Rosette**

- for WC connection elbow, WC connection pipe

**Model 3819**

DN	Ø	H	Version	PU	Article
100	165	50	alpine white	50/1000	<b>101 671</b>
100	165	50	beige	50	<b>105 914</b>
100	165	50	manhattan	50	<b>108 304</b>
100	165	50	pergamon/camee	50	<b>268 251</b>



**Rosette**

- for WC connection elbow, WC connection pipe
- plastic
- two-piece



Components

mark for 22.5° angle cutting

**Model 3821**

DN	Ø	H	Version	PU	Article
100	165	90	alpine white	50/1000	<b>101 343</b>
100	165	90	beige	50	<b>105 457</b>
100	165	90	manhattan	50	<b>106 515</b>
100	165	90	pergamon/camee	50	<b>128 753</b>
100	165	90	moss green	50	<b>131 609</b>

**Wall WC connection sets**



**Connection set**

- for wall-hung WC
- plastic



Components

flush pipe connector with connection pipe 45x230 mm, WC connection pipe with lip seal, mounting set (cover accessories white)

in accordance with DIN 1389

**Model 3817.815**

DN	L	PU	Article
90	180	10	<b>263 812</b>



**Connection set**  
 - for wall-hung WC  
 - plastic



**Components**

flush pipe connector with connection pipe 45x230 mm, WC connection pipe with lip seal, mounting set (cover accessories white)

in accordance with [DIN 1389](#)

**Model 3817.816**

DN	L	PU	Article
100	180	10/320	101 824



**Connection set**  
 - for wall-hung WC  
 - plastic

**Components**


flush pipe connector with connection pipe 45x400 mm, WC connection pipe with lip seal, mounting set (cover accessories white)

**Note**

Extension pipe without flush pipe connector see group T7 model 3817.5

**Model 3817.819**

DN	L	PU	Article
90	400	1	654 474



**Connection set**  
 - for WC with close-coupled cistern or with press flush from above  
 - plastic



**Components**

WC connection pipe with lip seal, mounting set (cover accessories white)

in accordance with [DIN 1389](#)

**Model 3817.818**

DN	L	PU	Article
100	160	10	128 692



**Connection set**  
 - for wall-hung WC, height adjustment up to 25 mm  
 - plastic

**Components**


flush pipe connector with connection pipe, WC connection socket with lip seal, threaded bolts

**Note**

Without warranty; can lead to reduced, non-standard flush and drainage performance!

**Model 8094**

DN	PU	Article
90	1	344 382



**Connection elbow 90°**


- for WC, welding with PE pipe, insertion in another drain pipe
- plastic

**Components**

groove for fixing in the WC pre-wall clip, seal

**Model 3816**

d1	d2	L1	L2	DN	PU	Article
90	90	235	75	90	1	326 609
90	110	210	85	90	1	296 032
110	110	300	85	100	10	107 048



**Branch**



- for WC line mounting
- plastic
- height-reduced

**Components**

WC connection elbow with groove for fixing in WC pre-wall clip, seals

**Model 8092**

DN1	DN2	DN3	PU	Article
100	90	100	1	284 497



**Branch**


- for WC line mounting, WB line mounting
- plastic
- height-reduced

**Components**

WC connection elbow with groove for fixing in WC pre-wall clip, seals

**Model 8093**

DN1	DN2	DN3	PU	Article
100	90	50	1	284 503



**Connection piece**

- for horizontal connection of WC element, welding with PE pipe, insertion in another drain pipe
- plastic

**Components**

WC connection pipe with groove for fixing in WC pre-wall clip, seal

**Model 8091**

DN1	DN2	L	PU	Article
90	90	300	1	684 150
90	100	345	1	293 987






**Offset elbow 90°**


- for pipe offset within the floor construction, all drain pipe materials
- not suitable for WC ceramic 4.5 l
- PP

**Components**

lip seal, profile seal



Model	DN	offset	PU	Article
<b>8090</b>	100	180	1	<b>294 885</b>
<b>8090.1</b>	100	120	1	<b>340 780</b>
<b>8090.2</b>	100	90	1	<b>484 354</b>
<b>8090.3</b>	100	60	1	<b>484 361</b>




**Connection set**

- for universal stand WC with apron
- plastic


**Components**

WC connection elbow, connection pipe, lip seals, mounting set  
in accordance with DIN 1389

**Model 3811.01**



DN	L1	L2	PU	Article
100	230	400	1	<b>131 777</b>




**Odour trap**

- for spittoon, sink for the disposal of faeces
- plastic

**Components**


lip seal, rosette

**Model 3741**



DN	Version	PU	Article
100	white	1	<b>150 419</b>

### Urinal drains



#### Drain elbow 90°


- for urinal
- plastic

#### Components

lip seal, rosette

in accordance with DIN 1380

#### Model 3228



DN1	DN2	L	Version	PU	Article
50	50	125	chrome-plated	1	<b>132 644</b>
50	50	125	white	1	<b>108 212</b>



#### Connection pipe

- for urinal with outlet inside horizontal
- plastic

#### Components

lip seal

in accordance with DIN 1380

#### Model 3229

DN1	DN2	L	PU	Article
50	50	130	1	<b>106 249</b>
65	50	130	1	<b>117 610</b>



#### Suction moulded piece


- for urinal, flush volume 1-4 l
- plastic

#### Components

odour trap, lip seal, vertical drain  
quality controlled in accordance with DIN 19541

#### Model 3233.8

DN1	DN2	PU	Article
40	50	10	<b>492 458</b>



#### Suction moulded piece

- for urinal, flush volume 1-4 l
- plastic


#### Components

odour trap, lip seal, horizontal drain

quality controlled in accordance with DIN 19541

#### Model 3233.9

DN1	DN2	PU	Article
40	50	10	<b>492 465</b>





**Suction moulded piece**

- for urinal, flush volume 1–4 l, siphon sensor technology
- spare part for Urinal conversion kit model 8121.020, Urinal module model 8121.3, Viega Eco Plus Urinal element model 8152.3
- plastic

**Components**

horizontal drain, odour trap, lip seal, sensor  
quality controlled in accordance with DIN 19541

**Model 3233.4**

DN1	DN2	PU	Article
40	50	1	654 269

V4



**Suction moulded piece**

- for urinal
- plastic

**Components**

odour trap, lip seal, drain pipe  
 vertical


**Note**

Suitable for Ideal Standard:  
 “Tonca” K 678 500 Laufen:  
 “Mobello” 4415.0 Villeroy & Boch:  
 “Colani” 7505 00!

in accordance with DIN 19541

**Model 3235**

DN1	DN2	PU	Article
40	50	30/300	119 430



**Plug-in piece**

- for urinal connection from supply side
- brass

**Model 8019.21**

L	R	PU	Article
90	½	1	308 551





**Seal**

- for urinal connection from supply side
- rubber

**Model 8019.22**

PU	Article
1	308 568



**Bottle odour trap**

- for urinals and sink basins without integrally odour trap



- plastic

Components

eccentric connection, lip seal, rosette, horizontal drain

**Model 5725.94**

DN1	DN2	PU	Article
50	40	1	112 271



**Pipe odour trap**

- for urinals and sink basins without integrally odour trap

- plastic

Components

horizontal drain, lip seal, rosette

quality controlled in accordance with EN 274

**Model 7985.94**

DN1	DN2	PU	Article
50	40	1	117 771
40	50	10	114 640



**Bell**

- for drain valve

- plastic

Components

sieve

**Model 3211-866**

Ø	PU	Article
126	1	133 061

**Urinal bells**



**Urinal bell**

- for urinal

- chrome-plated brass

Components

lip seal, nut, conical seal

**Model 3227.132**

DN	d	PU	Article
50	32	1	108 878
65	37	1	132 002 <sup>1)</sup>

<sup>1)</sup> without lip seal



**Drain pipe**

- chrome-plated brass

- without flanged rim

Components

rosette

**Model 3227.4**

DN	d	L	PU	Article
32		500	10	114 794
	37	500	10	135 140



**Outlet elbow 90°**  
 - chrome-plated brass  
 - without flanged rim  
Components  
 rosette  
**Model 3227.2**

DN	L1	L2	PU	Article
32	100	100	25	120 627

**Accessories**



**Flushing pipe**  
 - for wall-hung WC  
 - plastic  
Components  
 connection pipe, lip seal  
**Model 3817.6**

d	L	PU	Article
45	230	1	130 503



**Flushing pipe**  
 - for wall-hung WC  
 - plastic  
 - without flushing pipe connector  
**Model 3817.5**

d	L	PU	Article
45	300	1	312 664



**Pipe**  
 - for flushing pipe extension  
 - chrome-plated brass  
Components  
 sleeve, O-ring  
**Model 3894**

DN	L	PU	Article
28	125	10	107 383



**Sleeve**  
 - for flushing pipe connection  
 - chrome-plated brass  
Components  
 O-rings  
**Model 3895**

DN	PU	Article
28	10	115 197




**Drain pipe**  
 - plastic  
Components  
 seal  
**Model 3891**

DN1	DN2	L	PU	Article
40	40	250	5	124 786
40	40	500	5	130 220
50	50	250	5	129 514
50	50	500	5	125 691



**Drain pipe**  
 - plastic  
 - flexible  
Components  
 seal  
 with general constructional approval  
 (ABZ)  
**Model 3892**

DN1	DN2	L	PU	Article
50	50/40	250	10	460 761
50	50/40	500	10	460 778
50	50/40	750	10	460 785
50	50/40	1000	10	674 465



**Drain elbow 90°**  
 - plastic  
Components  
 seal  
**Model 7985.88V**

DN1	DN2	L	PU	Article
40	40	245	10	667 375
50	50	250	10	667 368

