


Drainage technology

X2 Backflow traps

X2



viega



for faeces-containing or faeces-free waste waters, tested in accordance with EN 13564, quality controlled

Backflow traps in accordance with EN 13564, for application in faeces-containing waste water pipes.

Backflow traps in accordance with EN 13564, for application in faeces-free waste water pipes.

Backflow protection in trap execution.

Backflow traps in floor drain execution.

Simple backflow traps for practical solutions as well as cleaning pipes complete the program.

Environmentally friendly PP (polypropylene). This high-quality material guarantees the best compatibility for domestic waste waters.

Index

Grundfix Plus	780
Grundfix	780
Cleaning pipes and backflow traps	780
Optifix 3	782
Accessories	782
Sperrfix	783
Accessories	783
Connection elbow and pipe backflow protection	784




4 015211 305611

EAN-Code

The EAN-Code composed out of the constant manufacturer number 4015211 and a six-digit article code - in this example 305 611. The exchange of the last six digits against the article code shows the EAN-Code.

Grundfix Plus



Grundfix Plus Control Backflow trap type 3


- for faeces-containing waste water pipe
- equipped with Test equipment model 4991, Grundfix Backflow flap model 4987.443, Grundfix Hand operated model 4987.449, Grundfix Motor-powered flap model 4987.444, Grundfix Pressure hose model 4987.54, Grundfix Wire model 4987.53, Grundfix Plus Control Regulation- and signal device model 4987.42
- safe from flooding

Components


3-touch control with LCD-text display, self-test 24 h, emergency electricity supply through battery management, optical/acoustic warn signal, 8 m long protective pipe for cable and pressure hose

quality controlled in accordance with EN 13564

Model 4987.41



DN	d	L1	L2	L3	H1	H2	H3	PU	Article
100	110	405	215	545	260	100	65	1	667 788
125	125	405	215	550	260	105	75	1	667 795
150	160	470	245	640	295	125	95	1	667 801




Grundfix Plus Spare part set

- suitable for Grundfix Plus Control Backflow trap type 3 model 4987.41

Model 4987.49

for DN	PU	Article
100/125	1	321 932
150	1	321 949

Grundfix



Grundfix Backflow trap type 2

- for faeces-free waste water pipe
- equipped with Test equipment model 4991

Components

2 shutter valves, hand operated
quality controlled in accordance with EN 13564

Model 4987.3

DN	PU	Article
100	20	305 376
125	20	305 383
150	9	310 332




Grundfix Plus Spare part set

- suitable for Grundfix Backflow trap type 2 model 4987.3

Model 4987.39

for DN	PU	Article
100/125	1	321 918
150	1	321 925

Cleaning pipes and backflow traps




Grundfix Backflow trap base body (cleaning pipe)

- for waste water pipe, upgrade to Grundfix backflow trap model 4987.38 or Grundfix Plus Control backflow trap with conversion kit model 4987.419

Model 4987

DN	PU	Article
100	20	305 475
125	16	305 482
150	12	310 318




Grundfix Backflow trap type 0

- for waste water pipe
- equipped with Grundfix Shutter valve model 4987.340

quality controlled in accordance with EN 13564

Model 4987.1

DN	PU	Article		
100	20	305 390		
125	20	305 406		
150	12	310 349		



Grundfix Backflow trap type 1

- for waste water pipe
- equipped with Grundfix Shutter valve model 4987.340


Components

hand operated

quality controlled in accordance with EN 13564

Model 4987.2

DN	PU	Article		
100	20	305 567		
125	20	305 574		
150	12	310 325		



Grundfix Conversion kit


- for retrofitting the models to Grundfix Plus Control backpressure trap
- suitable for Grundfix Backflow trap base body (cleaning pipe) model 4987, Grundfix Backflow trap type 0 model 4987.1, Grundfix Backflow trap type 1 model 4987.2, Grundfix Backflow trap type 2 model 4987.3
- equipped with Test equipment model 4991, Grundfix Backflow flap model 4987.443, Grundfix Hand operated model 4987.449, Grundfix Motor-powered flap model 4987.444, Grundfix Pressure hose model 4987.54, Grundfix Wire model 4987.53, Grundfix Plus Control Regulation- and signal device model 4987.42

Components

3-touch control with LCD-text display, self-test 24 h, emergency electricity supply through battery management, optical/acoustic warn signal, 8 m long protective pipe for cable and pressure hose

Model 4987.419

DN	PU	Article		
100/125	1	667 818		
150	1	667 825		



Grundfix B Backflow seal

- for continuous mains
- plastic

Components

backflow flap, hand operated

Model 4986.2

DN	PU	Article		
100	1	136 192		
125	1	154 073		
150	1	150 792		

X2

Optifix 3

Optifix 3 Cellar drain type 5

- equipped with Test equipment model 4991, Optifix 3 Backflow unit model 4989.3, Optifix 3 Grate model 4989.4, Optifix 3 Odour trap model 4989.1, 4989.2

Components



2 shutter valves, hand operated, top rotatable and height-adjustable, protective foil, lateral connection, valve plug for lateral connection

Technical data

Load class K=300 kg

quality controlled in accordance with EN 13564

Model 4989





DN1	DN2	PU	Article
70	100	1	462 963

Optifix 3 Height adjustment piece

- suitable for Optifix 3 Cellar drain type 5 model 4989

Model 4992



H	PU	Article
30-185	1	469 979
30-350	1	489 083

Accessories

Optifix 3 Spare part set

- suitable for Optifix 3 Cellar drain type 5 model 4989

Model 4993.5



PU	Article
1	469 986


Test equipment

- spare part for Grundfix Backflow trap type 2 model 4987.3, Grundfix Plus Control Backflow trap type 3 model 4987.41, Optifix 3 Cellar drain type 5 model 4989

Model 4991



G	PU	Article
1/2	1	154 868



Optifix 3 Spare part set
- for series from 1990 onwards
Model 4988-997

	PU	Article		
	1	160 067*		

* = Delivery just out of stock

Sperrfix





Sperrfix Backflow trap type 2

- for faeces-free waste water pipe, side inlet
- equipped with Sperrfix Shutter valve set model 4995.92

Components
hand operated
quality controlled in accordance with EN 13564
Model 4995.3

DN	PU	Article		
50	1	607 166		





Sperrfix Backflow trap type 5

- for supply below
- equipped with Sperrfix Shutter valve set model 4995.92

Components
wall bracket, hand operated, pipe odour trap
quality controlled in accordance with EN 13564
Model 4995.1

G	DN	L	PU	Article		
1½	40	220	1	607 128		
1½	50	170	1	607 135		



Sperrfix Backflow trap

- for supply below
- equipped with Sperrfix Shutter valve set model 4995.92

Components
hand operated, wall bracket
Model 4995.2

DN	PU	Article		
40	1	607 142		
50	1	607 159		

Accessories



Adjusting pipe drain pipe


- plastic
- Components**
seal
- Model 6892**

G	DN	L	PU	Article		
1¼	40	120	10	115 432		
1¼	40	200	10	125 400		
1½	40	120	10	107 840		
1½	40	200	10	106 591		
1½	40	500	5	136 888		




Adjusting pipe
 - plastic
Components
 seal, hose screw fitting 45°
Model 7985.31-697

G	DN	L	PU	Article
1½	40	200	10	117 153




Adjusting pipe
 - plastic
Components
 seal, 2 hose screw fittings 45°
Model 7985.50

G	DN	L	PU	Article
1½	40	200	10	104 559



Adjusting pipe
 - for leaking water
 - plastic
Components
 adjusting pipe, wall bracket
Model 7985.945-639


DN	L	PU	Article
40	240	1	113 698



Adjusting pipe
 - for waste water hose from
 washing machine or dishwasher
 - plastic
Components
 wall bracket, rubber nipple, nozzle
Model 4995.05-876


DN	L	PU	Article
40	250	1	109 523



Connection elbow and pipe backflow protection



Connection elbow 90°
 - for WC
Components
 backflow flap, hand operated, lip seal
Model 3811.5

DN	L	Version	PU	Article
100	230	alpine white	1	138 882





Connection pipe

- for WC

Components

backflow flap, hand operated, lip seal

Model 3815.5

DN	L	Version	PU	Article		
100	400	alpine white	1	134 969		

X2

